
## MOBILE LEADED BARRIER WITH 36" X 24" WINDOW

PHILLIPS-SAFETY.COM COPYRIGHT ©2025. ALL RIGHTS RESERVED





The Mobile Leaded Barrier with 36" x 24" Window is a portable, full-body radiation barrier. It provides a barrier of 2.0mm lead equivalence steel, and features a large 36" W x 24" H viewing panel with 2.0mm lead equivalency glass and 0.5mm lead equivalence acrylic. In addition, the Phillips Safety Mobile Leaded Barrier has steel legs with heavy duty casters and a locking caster system for ease of mobility. With an overall size of 39.5" W x 75" H, it is recommended that two people move the barrier together at all times. Plus, it weights 220 lbs.

## SPECIFICATION

WINDOW SIZE: 36" x 24"


BARRIER SIZE: 39.5" W x 75" H


BARRIER MATERIAL: Metal


PROTECTION LEVEL: Lead glass 2.0mm Pb LE

FEATURES: Viewing panel and locking caster system

## **PRODUCT INFORMATION** MOBILE LEADED BARRIER WITH 36" X 24" WINDOW | LB-2436







Linear Dimensions	Angular Dimensions	PROJECT Mobile Leaded Barrier with 24 x 36 Window				
X.XX ± 0.030	± 0.05					
X.XXX ± 0.010 X.XXXX ± 0.0005		CREATED FOR: PHILLIPS-SAFETY				
General Tolerance Table				•		
APPROVED: CHECKED:		SIZE A3	WEIGHT	DWG NO LB-2436		REV
CREATED: Jerry Verden / etx3d.com		11/6/2024		SCALE	1:15	

## CONTACT

Should you need any further information,

 $\mathcal{Q}$ 123 Lincoln Blvd, Middlesex, NJ 08846, USA



 $\mathbb{X}$ service@phillips-safety.com



www.phillips-safety.com



**PHILLIPS-SAFETY.COM**