

TILTED MOBILE LEADED BARRIER WITH 24" X 30" WINDOW

PRODUCT INFORMATION

PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED



PHILLIPS SAFETY
PRODUCTS INC.

PRODUCT INFORMATION

TILTED MOBILE LEADED BARRIER WITH 24" X 30" WINDOW | LB-2430-B



The Tilted Mobile Leaded Barrier with 30" x 24" Window is a portable, full-body radiation barrier designed to protect against secondary radiation. It features 2.0mm lead equivalent opaque panels of solid, leaded x-ray protection with contoured sides. Its 30" W x 24" H lead equivalency window is a viewing panel which can be chosen in two different materials: a 2.0mm lead equivalent high-quality Schott leaded glass or a 0.5mm lead equivalent leaded acrylic. With an overall size of 34" W x 70" H x 25" L, this Phillips Safety leaded barrier travels easily on its four-caster locking base steel legs. It is recommended that two people move the barrier together at all times.

SPECIFICATION

WINDOW SIZE: 30" x 24"

OVERALL SIZE: 34"W x 75"H x 25"L

WINDOW MATERIAL: Glass or Acrylic

WINDOW PROTECTION LEVEL: Lead glass 2.0mm Pb LE or Lead acrylic 0.5mm Pb LE


FEATURES: Portable, leaded x-ray protection with contoured sides, heavy duty, 4-caster base.

PRODUCT INFORMATION


TILTED MOBILE LEADED BARRIER WITH 24" X 30" WINDOW | LB-2430-B

**Mobile Leaded Barrier
with 30" x 24" WINDOW**



Top



Front



Side



LB-2430

SCALE: 1/2" = 1'

PRODUCT INFORMATION

TILTED MOBILE LEADED BARRIER WITH 24" X 30" WINDOW

CONTACT

Should you need any further information,
please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08846, USA



+1 866 575 1307



service@phillips-safety.com



www.phillips-safety.com

