PHILLIPS-SAFETY.COM

COPYRIGHT ©2025. ALL RIGHTS RESERVED





The KG5 laser safety glasses have a glass clear lens filter that provides laser protection. These laser glasses have a visible light transmission of 75%. In addition, the KG5 laser safety glasses have ANSI Z136.1 safety standards and CE certified lens. These laser safety glasses 66 have a durable and lightweight oversized frame. Made of high-quality plastic, the 66 laser safety glasses feature adjustable temples and permanent side shields. These Phillips Safety laser safety glasses are available in black and silver. Plus, they are prescription available.

#### FRAME SPECIFICATION





## LASER PROTECTIVE EYEWEAR

LENS FILTER SPECIFICATIONS



PROTECTION OPTION AKG-5 Holmium/Yag/Co2

LENS BLANK PART NUMBER LS-KG5-LB

### LENS SPECIFICATION

#### PROTECTION SPECIFICATIONS

OD 4+ @870-950nm OD 4+ @1550-2750nm OD 5+ @950-1000nm OD 6+ @2800-11000nm OD 7+ @1000-1550nm

CE LASER RATING 900 – 925 DIR LB4 925 – 1000 DIR LB5 1000 – 1025 DIR LB6 1025 – 1400 D LB6 + IR LB7 1400 – 2400 DIR LB4 2900 – 10600 DI LB4 **LENS TYPE** KG5


MATERIAL Glass

**SAFETY RATING** ANSI Z136.1

**VISIBLE LIGHT TRANSMISSION** 75%

**COLOR** Clear

## WAVELENGTH CHART



This is to certify that our product listed above has been tested to, and meets all requirements for, ANSI Z136.1 standards for Laser protection. They are manufactured by Phillips Sadert Products, Inc. in the City of Middlesex, County of Middlesex, and State of New Jersey in the United States of America. All components and final assemblies are included and originate from our location at 123 Lincoln Boulevard, Middlesex, NJ 08846.

Any questions from interested parties can be directed to the undersigned below.

Ryan Phillips | Vice President | Phillips Safety Products, Inc.



# CONTACT

Should you need any further information, please do not hesitate to contact us.

123 Lincoln Blvd, Middlesex, NJ 08846, USA



+1 866 575 1307



service@phillips-safety.com



www.phillips-safety.com



